

№	О	~ л "H	л а "H
1	L	18,498.00	7,654.39
2	0	12,188.00	-
3	"H	7,000.00	7,239.84
4	л	15,336.01	4,500.00
™		53,022.01	19,394.23

E~ а л
 "H л
 φ "H з а л
 |
 ж "H φ C ≠ ĩ л
 л ρ № '

E~ 9 я % Æ

$\bar{I}$ $\bar{G}$ η L $\parallel$ η a v
 $E^{\sim}$ a η η $\bar{H}$ $\bar{C}$
 η $\bar{H}$ $\bar{C}$
 ρ $\parallel$ $\bar{C}$ ρ $\sim$ $\bar{C}$ a
 η $\parallel$ $\bar{I}$ η $\parallel$ $\bar{C}$
 $\dagger$ η $\bar{C}$ N_0
 η $\bar{C}$
 $\circ$ η $\bar{G}$ η $\bar{C}$ $\bar{U}$ r
 H
 $\circ$ $\bar{C}$ $\bar{C}$ η $\frac{7}{8}$
 $\circ$ $\bar{C}$ a η $\bar{C}$
 η b $\bar{I}$
 $\parallel$ $\bar{C}$ $\bar{C}$ $\bar{C}$
 $\bar{I}$ $\bar{U}$ $\bar{C}$
 $\bar{C}$
 $E^{\sim} \neq$ $\bar{C}$
 $\bar{C}$ $\bar{C}$ $\bar{C}$ $\bar{H}$ $\bar{C}$ $\emptyset$
 $\bar{G}$ $\bar{C}$ $\bar{G}$ $\bar{C}$ $\bar{H}$ $\bar{C}$

$\dot{\rho} \quad \parallel \quad \xi \quad \dot{\rho} \quad \sim \quad \cdot \quad a \quad \square$
 $\dot{\rho} \quad \text{'E}^{\sim} \quad a \quad \tau \quad = \quad \tau \quad \dot{\iota} \quad r \quad \text{'E}^{\sim} \quad \vdash$

$\square \quad \text{'E}^{\sim} \quad a \quad \text{"H} \quad \mathcal{C}$

$\mathfrak{n} \quad \text{"H} \quad \mathcal{C}$
 $\text{'E}^{\sim} \quad \sim \quad \text{---} \quad \text{'E}^{\sim} \quad \mathfrak{n} \quad \xi \quad a$
 $\vdash \quad \text{'E}^{\sim} \quad \sim \quad \text{---} \quad \Leftrightarrow \quad \text{'E}^{\sim}$

$\mathfrak{b} \quad \tau \quad L \quad \dot{\iota} \text{'E}^{\sim} \quad \mathfrak{n} \quad L$

$\dot{\jmath} \quad \mathfrak{n} \quad \xi \quad \neq$
 $\neq \quad a \quad \text{'E}^{\sim} \quad \dot{\iota} \quad \ddot{u}$

$\text{'E}^{\sim} \quad a \quad \text{"H} \quad \mathfrak{n} \quad \xi$
 $\text{"H} \quad \uparrow \quad \text{'E}$

$\sim \quad a \quad \nu \quad \dot{\iota} \quad \dot{\iota} \quad \mathfrak{n}$

$\dot{\jmath} \quad \mathfrak{n} \quad \xi \text{'E}^{\sim} \quad \text{'E}^{\sim} \quad \dot{\iota} \quad \eta \quad r \quad \neq \quad \tau$

$\vdash \quad \text{'E}^{\sim} \quad \sim \quad \Leftrightarrow \quad \text{'E}$

$\sim \quad \mathfrak{b} \quad \tau \quad \eta \quad r \quad \square \quad \text{'E}^{\sim} \quad a \quad \mathfrak{n} \quad \xi$
 $\square \quad \text{'E}^{\sim}$

$\dot{\iota} \quad \vdash \quad a \quad \mathfrak{n} \quad \xi$
 $\text{'E}^{\sim} \quad \ddot{u} \quad \square$

$\text{'E}^{\sim} \quad \bar{G} \text{'E}^{\sim} \quad \mathfrak{n} \quad \xi \quad \eta$

$\parallel \quad \dot{\jmath} \text{'E}^{\sim} \quad \mathfrak{n} \quad \mathfrak{u} \quad \xi \text{'E}^{\sim}$

$\text{'E}^{\sim} \quad \mathfrak{l} \quad \uparrow \quad a \quad \mathfrak{n} \quad \xi \quad \neq$

$\text{'E}^{\sim} \quad a \quad \text{'E}^{\sim} \quad \xi \quad \eta \quad r \quad \neq$

$\text{'E}^{\sim} \quad \sim \quad \text{'E}^{\sim} \quad \mathfrak{n} \quad \xi \quad a$
 $\vdash \quad \text{'E}^{\sim} \quad \sim \quad \Leftrightarrow \quad \text{'E}^{\sim} \quad \mathfrak{b}$

γ
 $\bar{G}$ $\square$ $\tilde{E}$ a π $\bar{H}$
 $\bar{C}$ $\bar{H}$ $\bar{C}$

$\tilde{E}$ a N_0 $\mathfrak{N}$ $\check{\imath}$ $\vdash$ $\tilde{E}$ $\mathfrak{r}$ L
 $\tilde{E}$ a N_0 $\mathfrak{N}$ $\check{\imath}$ $\vdash$ $\tilde{E}$ $\mathfrak{r}$ L

$\bar{G}$ γ